## **AUSTRALIA GROUP**

# LIST OF HUMAN AND ANIMAL PATHOGENS AND TOXINS FOR EXPORT CONTROL<sup>[1]</sup>

10 May 2024

### Viruses

25.

26.

Lujo virus

Lumpy skin disease virus

| 1.  | African horse sickness virus                    |
|-----|---|
| 2.  | African swine fever virus                       |
| 3.  | Andes virus                                     |
| 4.  | Avian influenza virus <sup>[2]</sup>            |
| 5.  | Bluetongue virus                                |
| 6.  | Chapare virus                                   |
| 7.  | Chikungunya virus                               |
| 8.  | Choclo virus                                    |
| 9.  | Classical swine fever virus (Hog cholera virus) |
| 10. | Crimean-Congo hemorrhagic fever virus           |
| 11. | Dobrava-Belgrade virus                          |
| 12. | Eastern equine encephalitis virus               |
| 13. | Ebolavirus: all members of the Ebolavirus genus |
| 14. | Foot-and-mouth disease virus                    |
| 15. | Goatpox virus                                   |
| 16. | Guanarito virus                                 |
| 17. | Hantaan virus                                   |
| 18. | Hendra virus (Equine morbillivirus)             |
| 19. | Japanese encephalitis virus                     |
| 20. | Junin virus                                     |
| 21. | Kyasanur Forest disease virus                   |
| 22. | Laguna Negra virus                              |
| 23. | Lassa virus                                     |
| 24. | Louping ill virus                               |

27. Lymphocytic choriomeningitis virus 28. Machupo virus 29. Marburgvirus: all members of the Marburgvirus genus 30. Middle East respiratory syndrome-related coronavirus (MERS-CoV) 31. Monkeypox virus 32. Murray Valley encephalitis virus 33. Newcastle disease virus 34. Nipah virus 35. Omsk hemorrhagic fever virus 36. Oropouche virus 37. Peste-des-petits-ruminants virus 38. Porcine Teschovirus 39. Powassan virus 40. Rabies virus and other members of the Lyssavirus genus 41. Reconstructed 1918 influenza virus 42. Rift Valley fever virus 43. Rinderpest virus 44. Rocio virus 45. Sabia virus 46. Seoul virus 47. Severe acute respiratory syndrome-related coronavirus (SARS-related coronavirus) 48. Sheeppox virus 49. Sin Nombre virus 50. St. Louis encephalitis virus Suid herpesvirus 1 (Pseudorabies virus; Aujeszky's disease) 51. 52. Swine vesicular disease virus Tick-borne encephalitis virus (Far Eastern subtype) 53. 54. Variola virus Venezuelan equine encephalitis virus 55. 56. Vesicular stomatitis virus

57.

58.

Western equine encephalitis virus

Yellow fever virus

#### **Bacteria**

- 1. Bacillus anthracis
- Brucella abortus
- 3. Brucella melitensis
- 4. Brucella suis
- 5. Burkholderia mallei (Pseudomonas mallei)
- 6. Burkholderia pseudomallei (Pseudomonas pseudomallei)
- 7. Chlamydia psittaci (Chlamydophila psittaci)
- 8. Clostridium argentinense (formerly known as Clostridium botulinum Type G), botulinum neurotoxin producing strains
- 9. Clostridium baratii, botulinum neurotoxin producing strains
- 10. Clostridium botulinum
- 11. Clostridium butyricum, botulinum neurotoxin producing strains
- 12. Clostridium perfringens, epsilon toxin producing types<sup>[3]</sup>
- 13. Coxiella burnetii
- 14. Francisella tularensis
- 15. Mycoplasma capricolum subspecies capripneumoniae ("strain F38")
- 16. Mycoplasma mycoides subspecies mycoides SC (small colony)
- 17. Rickettsia prowazekii
- 18. Salmonella enterica subspecies enterica serovar Typhi (Salmonella typhi)
- 19. Shiga toxin producing Escherichia coli (STEC) of serogroups O26, O45, O103, O104, O111, O121, O145, O157, and other shiga toxin producing serogroups<sup>[4]</sup>
- 20. Shigella dysenteriae
- 21. Vibrio cholerae
- 22. Yersinia pestis

#### Toxins as follows and subunits thereof: [5]

- 1. Abrin
- Aflatoxins
- 3. Botulinum neurotoxins<sup>[6]</sup>
- 4. Not used since 2022 [1]

- 5. Clostridium perfringens alpha, beta 1, beta 2, epsilon and iota toxins
- 6. Conotoxins [6]
- 7. Diacetoxyscirpenol
- 8. HT-2 toxin
- 9. Microcystins (Cyanoginosins)
- 10. Modeccin
- 11. Ricin
- 12. Saxitoxin
- 13. Shiga toxins (shiga-like toxins, verotoxins, and verocytotoxins)
- 14. Staphylococcus aureus enterotoxins, hemolysin alpha toxin, and toxic shock syndrome toxin (formerly known as Staphylococcus enterotoxin F)
- 15. T-2 toxin
- 16. Tetrodotoxin
- 17. Not used since 2016 [2]
- 18. Viscumin (Viscum album lectin 1)
- 19. Volkensin
- 20. Brevetoxins
- 21. Gonyautoxins
- 22. Nodularins
- 23. Palytoxin
- 24. Neosaxitoxin (NEO)

### Toxins footnotes:

- [1] Cholera toxin
- [2] Verotoxin and shiga-like ribosome inactivating proteins

#### **Fungi**

- 1. Coccidioides immitis
- 2. Coccidioides posadasii

## Genetic Elements and Genetically-modified Organisms [1]:

Any genetically-modified organism which contains, or genetic element that codes for, any of the following:

- (a) Any gene, genes, translated product, or translated products, specific to any listed virus; or
- (b) any gene or genes specific to any listed bacterium<sup>[3]</sup> or fungus, and which
  - (i) in itself or through its transcribed or translated products represents a significant hazard to human, animal or plant health, or
  - (ii) could endow or enhance pathogenicity<sup>[4]</sup>; or
- (c) any listed toxins or their sub-units.

#### Technical notes:

- 1. Genetically-modified organisms include organisms in which the nucleic acid sequences have been created or altered by deliberate molecular manipulation.
- 2. Genetic elements include, inter alia: chromosomes, genomes, plasmids, transposons, vectors, and inactivated organisms containing recoverable nucleic acid fragments, whether genetically modified or unmodified, or chemically synthesized in whole or in part. For the purposes of the genetic elements control, nucleic acids from an inactivated organism, virus, or sample are considered 'recoverable' if the inactivation and preparation of the material is intended or known to facilitate isolation, purification, amplification, detection, or identification of nucleic acids.
- 3. These controls do not apply to nucleic acid sequences of shiga toxin producing Escherichia coli of serogroups O26, O45, O103, O104, O111, O121, O145, O157, and other shiga toxin producing serogroups, other than those genetic elements coding for shiga toxin, or for its subunits.
- 4. 'Endow or enhance pathogenicity' is defined as when the insertion or integration of the nucleic acid sequence or sequences is/are likely to enable or increase a recipient organism's ability to be used to deliberately cause disease or death. This might include alterations to, inter alia: virulence, transmissibility, stability, route of infection, host range, reproducibility, ability to evade or suppress host immunity, resistance to medical countermeasures, or detectability.

## Warning List<sup>[1]</sup>

#### **Bacteria**

- 1. Clostridium tetani [7]
- 2. Legionella pneumophila
- 3. Yersinia pseudotuberculosis
- 4. Other strains of Clostridium species that produce botulinum neurotoxin<sup>[8]</sup>
- 5. Bacillus cereus biovar anthracis

### **Fungi**

- 1. Fusarium langsethiae
- 2. Fusarium sporotrichioides

<sup>[1]</sup> An agent/pathogen is covered by this list except when it is in the form of a vaccine. A vaccine is a medicinal product in a pharmaceutical formulation licensed by, or having marketing or clinical trial (including veterinary clinical trial) authorisation from, the regulatory authorities of either the country of manufacture or of use, which is intended to stimulate a protective immunological response in humans or animals in order to prevent disease in those to whom or to which it is administered.

Biological agents and pathogens are controlled when they are an isolated live culture of a pathogen agent, or a preparation of a toxin agent which has been isolated or extracted from any source, or material including living material which has been deliberately inoculated or contaminated with the agent. Isolated live cultures of a pathogen agent include live cultures in dormant form or in dried preparations, whether the agent is natural, enhanced or modified.

<sup>[2]</sup> This includes only those Avian influenza viruses of high pathogenicity as defined by the World Organization for Animal Health (OIE), the European Union (EU), or competent national regulatory bodies.

[3] It is understood that limiting this control to epsilon toxin-producing strains of Clostridium perfringens therefore exempts from control the transfer of other Clostridium perfringens strains to be used as positive control cultures for food testing and quality control.

<sup>[4]</sup> Shiga toxin producing *Escherichia coli* (STEC) includes *inter alia* enterohaemorrhagic *E. coli* (EHEC), verotoxin producing *E. coli* (VTEC) or verocytotoxin producing *E. coli* (VTEC).

[5] Excluding immunotoxins.

<sup>[6]</sup> Excluding botulinum neurotoxins and conotoxins in product form meeting all of the following criteria:

- are pharmaceutical formulations designed for testing and human administration in the treatment of medical conditions;
- are pre-packaged for distribution as clinical or medical products; and
- are authorised by a state authority to be marketed as clinical or medical products.

<sup>[7]</sup>The Australia Group recognizes that this organism is ubiquitous, but, as it has been acquired in the past as part of biological warfare programs, it is worthy of special caution.

[8] It is the intent of Australia Group members to add to the control list strains of species of Clostridium identified as producing botulinum neurotoxin.